



SOLDERING
IRON
HEATGUN
TORCH

ARIES[®]
TOTAL CREATIVE REVOLUTION.





APPLICATIONS



SOLDERING IRON

- Electrical / Electronic Circuit repair
- Circuit Board Connections
- Wire Harness repairs
- General Soldering
- Instant anti-static soldering
- Welding
- Jewelry, Eyeglass Frame Repair
- Industrial cable repairs and installation
- Automotive and Truck repairs
- Mobile installers



TORCH

- Soldering
- Outdoor Activity
- Camping
- Household repairs
- Laboratories
- Cigar and pipe lighter
- Plumbing
- Automotive and truck repairs
- Hobbies
- Do-it-yourself repairs
- Dental repairs
- Welding
- Culinary



HEAT GUN

- General heating and drying
- Heat shrink tubing and sleeves
- Thawing Frozen Locks
- Activate adhesive and potting compounds
- Stretch Vinyls
- Bend and form plastics and plastic laminates
- Preheat flux
- Remove windshield caulking
- Shrink packing



Pro-Aries Industries, Inc., a professional manufacturer and designer of Portable Butane Gas Heating tools in Taiwan, widely involve in Soldering Iron, Heat Gun, Mini Torch, Micro Torch, Heavy Duty Torch, and etc., and has more than decades of experience.

As a reliable manufacturer, we are an ISO9001: 2000 Certified manufacturer and provide quality guarantee for our all products to our customers. All of our products are patented and complied with the safety and quality system requirements and regulations.

Our policy is to create new value with superior quality to meet our customer's needs – provide the best service, the competitive-pricing products, and on-time delivery.

If you are interested in our products, please feel free to contact us.

Our 5S Managing Concepts of Pro-Aries Industries, Inc.:

- Satisfactory (Service)**
- Stability (Quality)**
- Safety (Product)**
- Speed (Delivery)**
- Smart (Development)**



INDEX



SOLDERING IRON

- 4 ES-660M
- 5 ES-640SI
- 6 ES-610
- 6 ES-610K
- 7 ES-530
- 8 X-3
- 8 X-ONE
- 9 ES-650SI
- 10 ES-670SI
- 11 ES-720SI



TORCH

- 12 TL-1
- 13 TL-1M
- 14 ES-720TH
- 15 ES-730TH
- 16 ES-720 Q-ONE
- 17 ES-110
- 17 ES-210



HEAT GUN

- 18 ES-670HB
- 18 ES-620
- 19 ES-730HB
- 19 ES-720HB
- 20 KITS
- 22 ACCESSORY LIST

▶ ES-660M



3-IN-1 CORDLESS BUTANE-POWERED PROFESSIONAL SOLDERING IRON

Weight: 162g (no gas)

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size (L x W x Ø): 250 x 30 x 25mm

Approximate Temperature:

200-400°C (Soldering Iron)

Up to 450°C (Heat Gun)

Up to 1,300°C (Torch)



ES-660M-KB

Multi-Functions Cordless Butane-Powered Professional Soldering Iron Supreme Kit

▶ ES-640SI



3-IN-1 CORDLESS BUTANE-POWERED SOLDERING IRON

Weight: 70g (no gas)

Fuel: Butane

Gas Container Capacity: 7.5ml

Operating Time: 30-40 minutes (80% w/fuel)

Size (L x Ø): 183 x 25mm

Approximate Temperature:

200-400°C (Soldering Iron)

Up to 450°C (Heat Gun)

Up to 1,300°C (Torch)

Meet U.S. Child Resistant Standard (CPSC)



ES-640KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit



▶ ES-610

2-IN-1 CORDLESS BUTANE-POWERED SOLDERING IRON - PIEZO IGNITION

Weight: 54g (no gas)

Fuel: Butane

Gas Container Capacity: 6ml

Operating Time: 20-25 minutes (80% w/fuel)

Size (L x W x Ø): 147 x 35 x 20mm

Approximate Temperature:

200-400°C (Soldering Iron)

Up to 450°C (Heat Gun)



Soldering Iron



Heat Gun



ES-610KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit



▶ ES-610K

2-IN-1 CORDLESS BUTANE-POWERED SOLDERING IRON VALUED KIT

Includes:

ES-610 2-In-1 Cordless Butane-Powered Soldering Iron

Soldering Tip: 2.4mm Conical, 2.4mm Chisel

Soldering Wire: Dia. Ø1.0mm weight 15g



▶ ES-530



CORDLESS BUTANE-POWERED SOLDERING IRON - MANUAL IGNITION

Weight: 55g (no gas)

Fuel: Butane

Capacity: 5ml

Operating Time: 20-25 minutes (80% w/fuel)

Size (H x T x W): 137 x 28 x 20mm

Approximate Temperature: 200-400°C (Soldering Iron)



ES-530KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

▶ X-3



3-IN-1 CORDLESS BUTANE-POWERED SOLDERING IRON - MANUAL IGNITION

Weight: 54g
 Fuel: Butane
 Gas Container Capacity: 7.5ml
 Operating Time: 30-40 minutes (80% w/fuel)
 Size(L x Ø): 172 x 24.8mm
 Approximate Temperature:
 200-400°C (Soldering Iron)
 Up to 450°C (Heat Gun)
 Up to 1,300°C (Torch)



XKB-ONE
Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

▶ X-ONE



CORDLESS BUTANE-POWERED SOLDERING IRON - MANUAL IGNITION

Weight: 50g
 Fuel: Butane
 Gas Container Capacity: 7.5ml
 Operating Time: 30-40 minutes (80% w/fuel)
 Size(L x Ø): 160 x 24.8mm
 Approximate Temperature: 200-400°C (Soldering Iron)



Soldering Iron



Torch



Heat Gun

▶ ES-650SI



2-IN-1 CORDLESS BUTANE-POWERED SOLDERING IRON

Weight: 110g (no gas)

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size (L x W x H): 228 x 38 x 25mm

Approximate Temperature:

200-400°C (Soldering Iron)

Up to 1,300°C (Torch)



ES-650KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit



Soldering Iron



Torch

▶ ES-670SI



2-IN-1 HAND-HELD BUTANE SOLDERING IRON

Weight: 166g

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size(L x W): 180 x 53mm

Approximate Temperature:

200-450°C (Soldering Iron)

Up to 1,300°C (Torch)

Meet U.S. Child Resistant Standard (CPSC)



Soldering Iron



Torch



ES-670KB

Multi-Functions Hand-Held Butane Soldering Iron Supreme Kit



▶ ES-720SI



3-IN-1 HAND-HELD BUTANE SOLDERING IRON

WEIGHT: 164g

FUEL: Butane

Gas Container Capacity: 19ml

Operating Time: 60 minutes (80% w/fuel)

Size (H x T x W): 180 x 52 x 157mm

Approximate Temperature:

200-400°C (Soldering Iron)

Up to 450°C (Heat Gun)

Up to 1,300°C (Torch)

Meet U.S. Child Resistant Standard (CPSC)



Soldering Iron



Torch



Heat Gun




ES-720KB

Multi-Functions Hand-Held Butane Soldering Iron Supreme Kit





▶ TL-1 

HIGH OUTPUT BUTANE TORCH

Weight: 255g (no gas)

Fuel: Butane

Gas Container Capacity: 65ml

Operating Time: 60 minutes (80% w/fuel)

Size(H x T x Ø): 174 x 139 x 42.6mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ TL-1M

HIGH OUTPUT BUTANE PROFESSIONAL TORCH

Weight: 360g (no gas)

Fuel: Butane

Gas Container Capacity: 65ml

Operating Time: 60 minutes (80% w/fuel)

Size (H x T x Ø): 174 x 139 x 42.6mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)

▶ ES-720TH

HAND-HELD BUTANE TORCH

Weight: 162g

Fuel: Butane

Gas Container Capacity: 19ml

Operating Time: 60 minutes (80% w/fuel)

Size(H x T x W): 180 x 52 x 111mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-730TH

HAND-HELD BUTANE TORCH

Weight: 162g

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size (L x W): 175 x 53mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-720 Q-ONE

HAND-HELD BUTANE TORCH

Weight: 152g

Fuel: Butane

Gas Container Capacity: 19ml

Operating Time: 60 minutes (80% w/fuel)

Size(H x L x W): 170 x 100 x 50mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-110

MINI TORCH

Weight: 50g

Fuel: Butane

Gas Container Capacity: 5.5ml

Operating Time: 20-25 minutes (mid setting; 80% w/fuel)

Size(L x T x W): 105 x 27 x 60mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-210

MINI TORCH

Weight: 35g

Fuel: Butane

Gas Container Capacity: 6ml

Operating Time: 20-25 minutes (mid setting; 80% w/fuel)

Size(L x T x Ø): 90 x 35 x 20mm

Approximate Temperature: Up to 1300°C

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-670 HB

2-IN-1 HAND-HELD BUTANE HEAT GUN

Weight: 171g

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size(L x W): 180 x 53mm

Approximate Temperature:

Up to 450°C (Heat Gun)

Up to 1,300°C (Torch)

Meet U.S. Child Resistant Standard (CPSC)



▶ ES-620

CORDLESS BUTANE-POWERED HEAT GUN

Weight: 54g (no gas)

Fuel: Butane

Gas Container Capacity: 6ml

Operating Time: 20-25 minutes (80% w/fuel)

Size(L x W x Ø): 115 x 35 x 20mm

Approximate Temperature:

Up to 450°C (Heat Gun)



▶ ES-730HB

HAND-HELD BUTANE HEAT GUN

Weight: 163g

Fuel: Butane

Gas Container Capacity: 15ml

Operating Time: 45-60 minutes (80% w/fuel)

Size (L x W): 175 x 53mm

Approximate Temperature: Up to 450°C



▶ ES-720HB

HAND-HELD BUTANE HEAT GUN

Weight: 163g

Fuel: Butane

Gas Container Capacity: 19ml

Operating Time: 60 minutes (80% w/fuel)

Size (H x T x W): 180 x 52 x 116mm

Approximate Temperature: Up to 450°C



▶ ES-730-HB-D

HAND-HELD HEAT GUN + DEFLECTOR



▶ KITS



ES-660M-KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

ES-660M 3-IN-1 Cordless Butane-Powered Professional Soldering Iron (With 1.6mm Conical Tip)

Soldering Tip: 2.4mm Chisel (5 Levels Professional Plating), Hot Knife Tip, Deflector Tip, Mini Wrench, Sponge

Soldering Wire: Dia Ø1.0mm weight 15g



ES-640KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

ES-640SI 3-IN-1 Cordless Butane-Powered Soldering Iron (With 1.0mm Conical Tip)

Soldering Tip: 2.4mm Chisel (5 Levels Professional Plating), 2.4mm Conical (5 Levels Professional Plating), Hot Knife Tip, Deflector Tip, Mini Wrench, Sponge

Soldering Wire: Dia Ø1.0mm weight 15g



ES-610KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

ES-610 2-In-1 Cordless Butane-Powered Soldering Iron (With 1.6mm Conical Tip)
Soldering Tip: 2.4mm Conical, 2.4mm Chisel, 2.4mm Diagonal, Hot Knife Tip
Soldering Wire: Dia Ø1.0mm weight 15g



ES-650KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

ES-650SI 2-In-1 cordless Butane-Powered Soldering Iron (With 1.6mm Conical Tip)
Soldering Tip: 2.4mm Chisel (5 Levels Professional Plating), 3.0mm Diagonal (5 Levels Professional Plating), Hot Knife Tip, Heat Blower Tip, Deflector Tip, Sponge
Soldering Wire: Dia Ø1.0mm weight 15g



ES-530KB

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

ES-530 Cordless Butane-Powered Soldering Iron (With 1.6mm Conical Tip)
Soldering Tip: 2.4mm Chisel, Hot Knife Tip, Torch Tip, Heat Blower Tip
Soldering Wire: Dia Ø1.0mm weight 15g



ES-670KB

Multi-Functions Hand-Held Butane Soldering Iron Supreme Kit

Includes:

ES-670SI 2-In-1 Hand-Held Butane Soldering Iron (With 1.6mm Conical Tip)
Soldering Tip: 3.2mm Chisel (5 Levels Professional Plating), 10.5mm Chisel (5 Levels Professional Plating), Hot Knife Tip, Heat Blower Tip, Deflector Tip, Sponge
Soldering Wire: Dia Ø1.0mm weight 15g



XKB-ONE

Multi-Functions Cordless Butane-Powered Soldering Iron Supreme Kit

Includes:

X-One Cordless Butane-Powered Soldering Iron (With 1.6mm Conical Tip), Hot Knife Tip, Torch Tip, Heat Blower Tip, Shrinking Tubes (Ø2.0~4.0mm)
Soldering Wire: Dia Ø1.0mm weight 15g






















ES-720KB



Multi-Functions Hand-Held Butane Soldering Iron Supreme Kit

Includes:

ES-720SI 3-In-1 Hand-Held Butane Soldering Iron (With 1.6mm Conical Tip)
Soldering Tip: 2.4mm Chisel (5 Levels Professional Plating), 2.4mm Conical (5 Levels Professional Plating), Hot Knife Tip, Deflector Tip, Mini Wrench, Sponge
Soldering Wire: Dia Ø1.0mm weight 15g

ACCESSORY LIST

MODEL NO.	TYPE & DESCRIPTION	APPLY TO	
	E-016 CONICAL 1.6mm	ES-530 ES-610 X-One X-3	
	E-024 CONICAL 2.4mm		
	E-032 CONICAL 3.2mm		
	E-124 CHISEL 2.4mm		
	E-132 CHISEL 3.2mm		
	E-224 DIAGONAL 2.4mm		
	E-310 HOT KNIFE		
	E-410 BLOW TORCH		ES-530 X-One
	E-510 HEAT BLOWER		
	L-016 CONICAL 1.6mm	ES-650SI ES-670SI ES-720SI ES-660M	
	L-024 CONICAL 2.4mm		
	L-124 CHISEL 2.4mm		
	L-132 CHISEL 3.2mm		
	L-1105 CHISEL 10.5mm		
	L-230 DIAGONAL 3.0mm		
	L-310 HOT KNIFE		
	L-311 HOT KNIFE		
	L-510 HEAT BLOWER		
	L-610 HEAT DEFLECTOR		FOR L-510 & A-BR

MODEL NO.	TYPE & DESCRIPTION	APPLY TO
	A-BR BURNING ROOM	ES-650SI ES-670SI ES-720SI ES-660M
	A-016 CONICAL 1.6mm	SPECIAL FOR A-BR
	A-024 CONICAL 2.4mm	
	A-124 CHISEL 2.4mm	
	A-230 DIAGONAL 3.0mm	
	A-311 HOT KNIFE	
	B-BR BURNING ROOM	
	B-010 CONICAL 1.0mm	SPECIAL FOR B-BR
	B-024 CONICAL 2.4mm	
	B-124 CHISEL 2.4mm	
	B-230 DIAGONAL 3.0mm	
	B-311 HOT KNIFE	
	B-610 HEAT DEFLECTOR	
	H-610 ES-730HB HEAT DEFLECTOR (SPECIAL FOR ES-730HB)	ES-730HB



PRO-ARIES INDUSTRIES, INC,

No.48-16, Sha-Tine Road, Sha-Lu Dist., Taichung City 433, Taiwan (R.O.C.)

Tel:886-4-26369809 Fax:886-4-26369810

e-mail:info@pro-aries.com.tw



www.pro-aries.com.tw